






Pump performance data		
MODEL: CT MAG-M3	Curve N°: 10458	Rev.:01
ITEM:	Power : ---	
Project:	2900 RPM	

US G.P.M.






TOTAL HEAD AND CAPACITY TOLERANCE ±10% POWER TOLERANCE +10%



Pump performance data		
MODEL: CT MAG-M4	Curve N°: 10459	Rev.:01
ITEM:	Power : ---	
Project:	2900 RPM	

US G.P.M.






TOTAL HEAD AND CAPACITY TOLERANCE ±10% POWER TOLERANCE +10%



Pump performance data		
MODEL: CT MAG-M5	Curve N°: 10456	Rev.:03
ITEM:	Power : ---	
Project:	2900 RPM	

US G.P.M.






TOTAL HEAD AND CAPACITY TOLERANCE ±10% POWER TOLERANCE +10%



Pump performance data		
MODEL: CT MAG-M6	Curve N°: 10457	Rev.:02
ITEM:	Power : ---	
Project:	2900 RPM	




US G.P.M.



TOTAL HEAD AND CAPACITY TOLERANCE ±10% POWER TOLERANCE +10%






Pump performance data		
MODEL: CT MAG-M7	Curve N°: 10478	Rev.:03
ITEM:	Power : ---	
Project:	2900 RPM	



TOTAL HEAD AND CAPACITY TOLERANCE ±10% POWER TOLERANCE +10%






Pump performance data		
MODEL: CT MAG-M8	Curve N°: 10479	Rev.:02
ITEM:	Power : ---	
Project:	2900 RPM	



TOTAL HEAD AND CAPACITY TOLERANCE ±10% POWER TOLERANCE +10%



Pump performance data		
MODEL: CT MAG-M9	Curve N°: 10480	Rev.:02
ITEM:	Power : ---	
Project:	2900 RPM	






TOTAL HEAD AND CAPACITY TOLERANCE ±10% POWER TOLERANCE +10%



Pump performance data		
MODEL: CT MAG-M10	Curve N°: 10481	Rev.:02
ITEM:	Power : ---	
Project:	2900 RPM	

US G.P.M.






TOTAL HEAD AND CAPACITY TOLERANCE ±10% POWER TOLERANCE +10%



Pump performance data		
MODEL: CT MAG-M11	Curve N°:10482	Rev.:02
ITEM:	Power :	
Project:	2900 RPM	




US G.P.M.



TOTAL HEAD AND CAPACITY TOLERANCE ±10% POWER TOLERANCE +10%



Pump performance data		
MODEL: CT MAG-M12	Curve N°:10716	Rev.:01
ITEM:	Power : ---	
Project:	2900 RPM	






TOTAL HEAD AND CAPACITY TOLERANCE ±10% POWER TOLERANCE +10%



Pump performance data		
MODEL: CT MAG-M13	Curve N°:10729	Rev.:01
ITEM:	Power : ---	
Project:	2900 RPM	

US G.P.M.






TOTAL HEAD AND CAPACITY TOLERANCE ±10% POWER TOLERANCE +10%



Pump performance data		
MODEL: CT MAG-M14	Curve N°:10745	Rev.:02
ITEM:	Power : ---	
Project:	2900 RPM	

US G.P.M.



TOTAL HEAD AND CAPACITY TOLERANCE ±10% POWER TOLERANCE +10%