






Pump performance data		
MODEL: CT MAG-M5/2S	Curve N°: 10575	Rev.:03
ITEM:	Power : -----	
Project:	2900 RPM	

US G.P.M.






TOTAL HEAD AND CAPACITY TOLERANCE ±10% POWER TOLERANCE +10%



Pump performance data		
MODEL: CT MAG-MS6/2S	Curve N°: 10618	Rev.:02
ITEM:	Power : -----	
Project:	2900 RPM	




US G.P.M.



TOTAL HEAD AND CAPACITY TOLERANCE ±10% POWER TOLERANCE +10%



Pump performance data		
MODEL: CT MAG-M7/2S	Curve N°: 10408	Rev.:02
ITEM:	Power [kW]: ---	
Project:	2950 RPM	






TOTAL HEAD AND CAPACITY TOLERANCE ±10% POWER TOLERANCE +10%



Pump performance data		
MODEL: CT MAG-M8/2S	Curve N°: 10437	Rev.:01
ITEM:	Power : -----	
Project:	2900 RPM	

US G.P.M.






TOTAL HEAD AND CAPACITY TOLERANCE ±10% POWER TOLERANCE +10%



Pump performance data		
MODEL: CT MAG-M9/2S	Curve N°: 10337	Rev.:01
ITEM:	Power : -----	
Project:	2900 RPM	




US G.P.M.



TOTAL HEAD AND CAPACITY TOLERANCE ±10% POWER TOLERANCE +10%



Pump performance data		
MODEL: CT MAG-MS10/2S	Curve N°: 10438	Rev.:01
ITEM:	Power : ---	
Project:	2900 RPM	



TOTAL HEAD AND CAPACITY TOLERANCE ±10% POWER TOLERANCE +10%