







Pump performance data		
MODEL: T MAG-M1	Curve N°: 10033	Rev.:02
ITEM:	Power [kW]:	
Project:	2900 RPM	



TOTAL HEAD AND CAPACITY TOLERANCE ±10% POWER TOLERANCE +10%



Pump performance data		
MODEL: T MAG-M2	Curve N°: 10034	Rev.:02
ITEM:	Power:	
Project:	2900 RPM	




TOTAL HEAD AND CAPACITY TOLERANCE ±10% POWER TOLERANCE +10%

12-12-2014






Pump performance data		
MODEL: T MAG-M3	Curve N°: 10035	Rev.:02
ITEM:	Power:	
Project:	2900 RPM	



TOTAL HEAD AND CAPACITY TOLERANCE ±10% POWER TOLERANCE +10%






Pump performance data		
MODEL: T MAG-M4	Curve N°: 10036	Rev.:02
ITEM:	Power [kW]:	
Project:	2900 RPM	



TOTAL HEAD AND CAPACITY TOLERANCE ±10% POWER TOLERANCE +10%






Pump performance data		
MODEL: T MAG-M5	Curve N°: 10037	Rev.:02
ITEM:	Power [kW]:	
Project:	2900 RPM	



TOTAL HEAD AND CAPACITY TOLERANCE ±10% POWER TOLERANCE +10%



Pump performance data		
MODEL: T MAG-M6	Curve N°: 10038	Rev.:02
ITEM:	Power:	
Project:	2900 RPM	



TOTAL HEAD AND CAPACITY TOLERANCE ±10% POWER TOLERANCE +10%